

OUR ENVIRONMENTAL PRODUCT DECLARATION

In order for environmental product balance sheets to be meaningful, they must be objectively comparable. So to let our customers easily understand and contrast our lifecycle analyses and environmental product data with those of other materials, we have firmly committed ourselves to a policy of total product transparency. We openly and voluntarily communicate the ecological balance sheets of our wood-based products in our Environmental Product Declarations (EPDs). Each EPD is issued by the Institute Construction and Environment e.V. (IBU) in a format which was developed on the basis of internationally valid ISO standards in close collaboration with building and environmental authorities in Germany.

WE STAND FOR ECOLOGY

The only way to master major challenges is for all players to pull on one rope. One of the biggest and most urgent tasks facing humanity today is to protect the environment. 'Together we are strong!' – this statement also applies to achieving the sustainability goals we have set ourselves. All of our staff are involved in protecting the environment on a day-to-day basis. Each and every one of them is appropriately informed, instructed and trained. This ensures that every department has the environmental expertise it requires. We use our 'management for the earth' programme to raise the level of environmental awareness in the entire SWISS KRONO team. Our environmental management efforts focus on achieving the eco-efficiency defined in our corporate objectives. Every product that leaves our factory must exhibit both excellent price/performance and superb environmental compatibility. This starts with the exclusive use of legal, certified raw materials from sustainably managed forests, continues with rigorously monitored production, and is also ensured during subsequent utilisation and ultimate disposal of our products.

WE HAVE BIG PLANS

our unique blue planet tomorrow as well. We are therefore continuing to develop eco-friendly wood-based materials which are healthy for you and the environment alike. Right now we are preparing EPDs for all of our Kronotex laminate floorings to facilitate direct comparison and checking of their environmental benefits.

Has our environmental commitment piqued your curiosity? We'll be happy to answer your questions. Simply e-mail us at sales.floor@swisskrono.de



EPD of the EPLF industry association

Our Environmental Product Declarations (EPDs) are globally acknowledged and accepted Type III environmental labels conforming to ISO 14025.




www.blauer-engel.de/uz176

- low emissions and pollutants
- wood from sustainable forestry
- no adverse impact on health in the living environment









STRUCTURES

PR / Wood Pore typical wood structure

MO / Matt Oiled matt oiled surface appearance

WG / Wood Grain rustic embossing

MX / Matrix deep structure embossing with typical wood matt/gloss contrast

ST / Stone distinctive stone

ER / Registered Emboss genuine wood appearance due to consistence between pattern and embossing

HG / High Gloss high gloss surface hardened with electron beam

CP/ER / Chrome Porewood structure with shine effect


AF / Authentic Floor natural and vivid wood texture


UL / Used Look with apparently signs of wear and tear

Matt Finish electron beam-hardened matt surface

Matt Look
With a waxed look & feel








✓ STRUCTURES

/ 07



SURFACES

1		1-Strip
		2-Strip
		3-Strip
		Multi-Strip
		Natural stone format XL
		Natural stone format

CHARACTERISTICS



Kronotex floors are low-maintenance and hard-wearing.



Kronotex floors are flame resistant.



Kronotex floors are largely resistant to cigarette burns.



Kronotex floors are non-fading and retain their brilliance over many years.



Kronotex floors are rugged, load and impact-resistant.



Kronotex floors are abrasion-resistant.



Kronotex floors are produced from natural sustainable raw materials.



Kronotex floors are comfortable underfoot.



Kronotex floors are well suited for installation over subfloor heating.



Kronotex floors are stain-resistant.



Kronotex floors are virtually scratchproof.

INDIVIDUAL FEATURES



These panels are especially long.



These panels are especially wide.



These panels are especially narrow.



These panels have a special surface structure.



High gloss surface



Antistatic



Fast installment thanks to an easy-to-use angleangle locking system for the long and short sides of the boards.



These panels feature a 45° sloped edge. When they are joined together, a V-groove forms, producing a natural solid wood character. V4 - all the way round



A 5G snap-together system makes the flooring even easier to install.

KRONOTEX PRODUCT OVERVIEW

MAMMUT PLUS

PANEEL 1845 x 244 x 10 mm **BOX** 4 panels | 1,800 m² **PALLET** 42 boxes | 75,600 m²



















AC 5
COMMERCIAL 33

MAMMUT

PANEL 1845 x 188 x 12 mm **BOX** 4 panels | 1,387 m² **PALLET** 56 boxes | 77,697 m²

















AC 5

ROBUSTO

PANEL 1375 x 188 x 12 mm **BOX** 5 panels | 1,293 m² **PALLET** 56 boxes | 72,380 m²















AC 5

AMAZONE

PANEL 1380 x 157 x 10 mm **BOX** 6 panels | 1,300 m² **PALLET** 40 boxes | 52,000 m²

















AC 5

EXQUISIT PLUS

PANEL 1380 x 244 x 8 mm **BOX** 8 panels | 2,694 m² **PALLET** 42 boxes | 113,138 m²

















AC 4

COMMERCIAL 32

EXQUISIT

PANEL 1380 x 193 x 8 mm **BOX** 8 panels | 2,131 m² **PALLET** 56 boxes | 119,320 m²















AC 4 **COMMERCIAL** 32

GLAMOUR

PANEL 644 x 310 x 8 mm **BOX** 10 panels | 1,996 m² **PALLET** 42 boxes | 83,849 m² **PANEL** 1380 x 193 x 8 mm **BOX** 8 panels | 2,131 m² PALLET 32 boxes | $68,192 \, m^2$









PANEL 1295 x 310 x 8 mm **BOX** 6 panels | 2,409 m² **PALLET** 36 boxes | 86,724 m²





AC 4

MEGA PLUS

PANEL 1380 x 326 x 8 mm **BOX** 5 panels | 2,249 m² **PALLET** 45 boxes | 101,223 m²















AC 4 **COMMERCIAL** 32

DYNAMIC PLUS

PANEL 1380 x 193 x 8 mm **BOX** 8 panels | 2,131 m² **PALLET** 56 boxes | 119,320 m²











AC 4 **COMMERCIAL** 32

DYNAMIC

PANEL 1380 x 193 x 8 mm **BOX** 8 panels | 2,131 m² **PALLET** 56 boxes | 119,320 m²









AC 4 **COMMERCIAL** 32









MAMMUT PLUS

The best and more. This is the promise of the new decors of the MAMMUT PLUS collection from Kronotex. While exhibiting the same technical mastery as all MAMMUT flooring, this new line offers you even more authenticity, an even larger choice of styles and even greater perfection. Apart from its incredible robustness and versatility, MAMMUT PLUS also raises the bar in other ways. Its extra-wide panels complement the existing extra-long and extra-sturdy versions of the MAMMUT family. And the decors seduce you with their elegantly authentic natural wood look, which can't help but add posh country-style comfort to your home.



USE CLASS 33 | AC 5 **BOX** 4 panels | 1,800 m² **PALLET** 42 boxes | 75,600 m²














MAMMUT PLUS



/ MAMMUT PLUS





/ 17








MAMMUT

For many, the best is just about good enough. And if you are always striving towards perfection as well, then there is only one floor for you: MAMMUT from Kronotex. It combines the best features of ROBUSTO, DYNAMIC and EXQUISIT, and is thus the absolute Nonplus-Ultra of laminate floors. Whether used universally, for extremely heavy loads or to create a sophisticated and natural look, MAMMUT is a floor which can meet all requirements. The panels are extra hard, extra long and, what's more, extra practical. An outstanding feature of the patterns and hues is their country cottage character and the fascinating, authentic natural wood look.




USE CLASS 33 | AC 5 BOX 4 panels | 1,387 m² PALLET 56 boxes | 77,697 m²



/ MAMMUT / 21



MAMMUT



/ MAMMUT / 23















ROBUSTO


There are situations in life where one needs a thick skin. Where one has to be very resilient and tough. Which is why ROBUSTO is also the perfect floor for extreme levels of use. With its high-density, 12-mm thick fibreboard and an especially wear-resistant surface, it can cope with pretty much anything to which it is exposed. Even if used for commercial purposes. Its CLIC tongue-and-groove connection system will never disappoint in any situation as it was specially developed to hold up under the highest pressure.




USE CLASS 33 | AC 5 **BOX** 5 panels | 1,293 m² **PALLET** 56 boxes | 72,380 m²



ROBUSTO



/ ROBUSTO / 29















AMAZONE

Be graceful. Prove style. With AMAZONE, the floor for everyone who appreciates the exclusive and the extraordinary. It combines conventional beauty with individual fashioning opportunities, and thus lends that special something to every setting. AMAZONE floorings are narrow and long, which creates a particularly graceful look. This also helps create the most fascinating of patterns. Whether you are aiming at a systematic, individual or absolutely noble look, this floor can be fashioned to meet all your ideas with its sophisticated patterns and hues.



USE CLASS 33 | AC 5 BOX 6 panels | $1,300\,\mathrm{m}^2$ PALLET 40 boxes | $52,000\,\mathrm{m}^2$



/ AMAZONE

/ 33










EXQUISIT PLUS


This brand's decors feature a wide range of carefully selected, exquisite natural wood styles. Their sublime, evenly embossed, subtly gleaming surfaces and virtually nature-identical grain drive home this collection's perfection and exceptional quality. The extra-wide panels invite you to create elegant, spacious rooms with a very special, warm feel-good ambiance. The precisely milled V-grooves are the finishing touch to this attractive, real-looking plank



USE CLASS 32 | AC 4 **BOX** 8 panels | 2,694 m² **PALLET** 42 boxes | 113,138 m²



EXQUISIT PLUS



USE CLASS 32 | AC 4 **BOX** 8 panels | 2,694 m² **PALLET** 42 boxes | 113,138 m²
























EXQUISIT

EXQUISIT is a floor which is as noble and natural as wood. It is perfection itself, radiates warmth and comfort and is as pleasant to walk upon as solid wood. Its synchronised, embossed grain and the matt surface shimmer give it an authentic structure and create a warm, natural atmosphere. And the carefully milled V-groove also contributes to the typical, representative floor-board look.



USE CLASS 32 | AC 4

BOX 8 panels | 2,131 m²


PALLET 56 boxes | 119,320 m²




/ EXQUISIT / 43



EXQUISIT




/ EXQUISIT / 45







A floor unlike any you have ever seen before - one which only Kronotex can create with such luxury and fascination. A highly-elegant look, a compelling effect, a sophisticated design. GLAMOUR cannot fail to impress with its sophisticated, highly exclusive look as well as with its typical Kronotex usage properties. But this is only to be expected! This floor has been coated with several layers of extremely hard wearing lacquer and designed for a wide variety of uses. And it offers all the guarantees for demanding usage with a high level of comfort and universal safety.









ABRASION CLASS AC 4 **BOX** 10 panels | 1,996 m² **PALLET** 42 boxes | 83,849 m²



/ GLAMOUR















ABRASION CLASS AC 4

BOX 10 panels | 1,996 m² **PALLET** 42 boxes | 83,849 m²











ABRASION CLASS AC 4

BOX 6 panels | 2,409 m² **PALLET** 36 boxes | 86,724 m²









/ GLAMOUR

/ 53















MEGA PLUS

Sublime in every respect: the laminate floors of the MEGA PLUS collection generously accentuate the stylish ambience of any room, making a strong and harmonious impression with their widely ranging decors in extra-wide format. MEGA PLUs floors astonish with their fresh wood and classic stone tile-look decors. The timelessly attractive tile decors make rooms appear sleek and streamlined, almost minimalistic. And the wood decors exude warmth and naturalness, thus ideally complementing country house-style interior decorations. MEGA PLUS also scores points with its extra-large panels, which enable fast, budget-friendly installation.



USE CLASS 32 | AC 4 **BOX** 5 panels | 2,249 m² **PALLET** 45 bayes | 101 233 m



/ MEGA PLUS


















DYNAMIC PLUS

Floors have never before been this evocative and lively. DYNAMIC PLUS sparkles with an extra dose of passion and esprit. This line's fresh, versatile decors will surprise and inspire you at the same time. DYNAMIC PLUS allows you to fully express your individuality while letting your creativity run wild. Its astonishing versatility and strength make it the ideal all-rounder, also suitable for floors with heavy foot traffic. Without sacrificing either superb aesthetics or walking comfort.



USE CLASS 32 | AC 4

BOX 8 panels | 2,131 m²

PALLET 56 boxes | 119,320 m²






















DYNAMIC


DYNAMIC! A floor with which you can express your entire individuality. It can be used anywhere, is extremely resilient and, above all else, offers a unique variety of patterns and hues. All this makes DYNAMIC the perfect floor for your ideas. Develop your full potential and live your life as you want to live it. And if you want, your DYNAMIC floor can move around with you. It can be easily removed and re-installed somewhere else - even in medium used commercial areas.



USE CLASS 32 | AC 4 **BOX** 8 panels | 2,131 m² **PALLET** 56 boxes | 119,320 m²



DYNAMIC



/ DYNAMIC / 67







THE CLIC-SYSTEM





Installing a new floor is now playfully easy: simply press the panels down with a finger, and they snap audibly into place. Take them out of the box, insert, push down and you're done! The snap-together "Clic" system is specially engineered to withstand peak loads. Also globally unique is the fact that Kronotex uses an optimised profile for each flooring thickness, which makes an especially big difference with 10 mm and 12 mm laminate. Professional installers and DIY enthusiasts alike greatly appreciate the advantages!



PANEL CONSTRUCTION

Kronotex laminates consist of at least four stable layers which ensure the extraordinary durability and unique quality of floors.

- A The top surface of the flooring consists of a specially resistant protective overlay film. This is fused with an attractive resinated decorative film into a practically abrasion-proof, hardwearing surface.
- **B** Extremely dense HDF fiberboard forms the supportive core (HDF, E1).
- **c** On the undersurface of the core a dampnessimpeding stabilization film ensures and preserves the high structural stability of Kronotex laminates.



INSTALLATION INSTRUCTIONS ON YOUTUBE

DIY expert Thomas provides tips and tricks for laying laminate flooring in six easy steps.





Door frame and radiator pipes



Care and repair



Impact and room noise reduction



Transition strips and skirting boards





TECHNICAL INFORMATION

What counts is the right base

Once you have decided for a laminate floor, when quality and appearance are a perfect fit, then you need to check the requirements for perfect installation. Very important is a suitable subfloor:

- · SWISS KRONO OSB
- · old flooring such as wood, firmly-adhering PVC, dry ceramic, linoleum
- · cement screed (max. residual moisture: 2.0 CM%)
- anhydrite cement and anhydrite flow cement screed (max. residual moisture: 0.3 CM%)
- · magnesia screed (max. residual moisture: 3.0 CM%)

Have a screed specialist in your area give you a residual moisture report!

Wet rooms, damp rooms, saunas, carpeting and xylolith are not suitable subfloors. The subfloor must be dry, level, firmly affixed and clean. Minor unevenness can be compensated with an underlay mat or – if exceeding 3 mm/m – sanded down or leveled with a filler.

Cleaning and care

Kronotex laminate floors are not only hygienic but also very easy to look after.

- Sweep the dry floor with a soft broom or use a vacuum cleaner.
- Marks and dirt can be wiped off with a slightly damp cloth, following the grain of the plank.
- · For stubborn marks, please use Kronotex cleaner.
- Please use felt pads under furniture and soft rubber castors on chairs.
- Place door mats in special areas (hall, entrance). In industrial buildings, provide footwells.
- Minor damage to the floor can easily be repaired with a repair kit.
- In case of more serious damage, please consult a specialist.

Floor heating - no problem

Kronotex laminate floors can be readily installed upon underfloor heating, serve well and even help to save on heating costs.

- Be sure to heat mineral underlays before flooring installation to eliminate any excess dampness.
- Have a heating specialist in your area give you a heating report.
- \cdot Ensure that during installation, the surface temperature of the floor is at least 15 °C (60 °F).
- For dampness insulation and as a vapor barrier, use a PE film (0.2mm) underlayment. To dampen sound, use PE foam or Kronotex matt underlay.
- At the beginning of each heating period, when you first turn on the underfloor heating, raise the temperature gradually in 5 °C (9 °F) increments per day until you reach the desired temperature. The floor's surface temperature should not exceed 26 °C (80 °F).





KRONOTEX ACCESSORIES













ACCESSORIES FOR SKIRTING BOARD KTEX 1

	Packet	Economy pack (packet)
1 External corner piece*	2 pcs per packet	2 pcs
2 Internal corner piece*	2 pcs per packet	6 pcs
3 End cap*	1 x left and 1 x right per packet	1 x left and 1 x right
4 Connector*	2 pcs per packet	-
	Box 10 packets	Box 5 packets

 $^{{}^*\!}Available\ in\ these\ colours: Light\ brown,\ dark\ brown,\ white,\ silver\ and\ stainless\ steel\ look$

ACCESSORIES FOR SKIRTING BOARD KTEX 4

	Packet	Economy pack (packet)
1 External corner piece*	2 pcs per packet	2 pcs
2 Internal corner piece*	2 pcs per packet	6 pcs
3 End cap*	1 x left and 1 x right per packet	1 x left and 1 x right
4 Connector*	2 pcs per packet	-
	Box 10 packets	Box 5 packets

^{*}Available in these colours: Light brown, dark brown, white, silver and stainless steel look
















KRONOTEX ACCESSORIES







KRONOTEX INSULATION UNDERLAYS










OTHER KRONOTEX SKIRTINGS

4 x 25 x 2400 mm



Different quantities available by prior arrangement.

* Covered distance from wall w/o clips ** Covered distance from wall with clips

AVAILABLE DECORS FOR SKIRTING BOARDS

Dekor no.	KTEX 1	KTEX 4
D 1407	•	•
D 2304	•	•
D 2450	•	•
D 2774	•	•
D 2800	•	
D 2801	•	
D 2804	•	•
D 2805	•	•
D 2869	•	
D 2870	•	
D 2873	•	•
D 2905	•	•
D 2929	•	•
D 2949	•	•
D 2955	•	•
D 2957	•	•
D 2963	•	
D 2967	•	
D 2986	•	•
D 2987	•	•
D 2994	•	
D 2999	•	
D 3000	•	
D 3001	•	
D 3004	•	•
D 3007	•	•
D 3044	•	•
D 3066	•	•
D 3070	•	•
D 3073	•	
D 3074	•	
D 3075	•	
D 3076	•	
D 3077	•	
D 3079	•	
D 3081	•	
D 3178	•	
D 3179	•	
D 3180	•	
D 3181	•	
D 3223	•	•
D 3224	•	•
D 3239	•	
D 3241		

Dekor no.	KTEX 1	KTEX 4
D 3242	•	•
D 3570	•	•
D 3571	•	
D 3572	•	•
D 3573	•	
D 3585	•	•
D 3590	•	
D 3591	•	
D 3592	•	
D 3597	•	
D 3660	•	•
D 3661	•	•
D 3662	•	•
D 3663	•	•
D 3664	•	•
D 3665	•	•
D 3667	•	•
D 3668	•	•
D 3669	•	
D 3670	•	
D 3672	•	•
D 3673	•	•
D 3676	•	•
D 3901	•	•
D 4127	•	•
D 4152	•	
D 4155	•	•
D 4163	•	•
D 4164	•	•
D 4166	•	•
D 4169	•	•
D 4170	•	•
D 4171	•	•
D 4700	•	•
D 4702	•	•
D 4703	•	•
D 4704	•	•
D 4705	•	
D 4706	White is red	ommended
D 4707	•	
D 4708	White is red	ommended
D 4710	•	
D 4715	•	
D 4716	•	

Dekor no.	KTEX 1	KTEX 4
D 4720	•	
D 4725	•	
D 4726	•	
D 4727	•	
D 4728	•	
D 4731	•	
D 4732	White is red	commended
D 4738	White is red	commended
D 4739	White is red	commended
D 4751	•	•
D 4752	•	
D 4753	•	•
D 4754	•	•
D 4755	•	•
D 4757	•	•
D 4760	•	•
D 4763	•	•
D 4764	•	•
D 4765	•	•
D 4766	•	•
D 4767	•	•
D 4771	•	•
D 4773	•	•
D 4779	•	
D 4780	•	•
D 4781	•	•
D 4782	•	•
D 4783	•	•
D 4784	•	•
D 4785	•	•
D 4786	•	•
D 4787	•	•
D 4790	•	•
D 4791	•	
D 4792	•	
D 4793	•	
D 4794	•	
D 4795	•	
D 4796	•	
D 4797	•	-
D 4798	•	
D 4953	•	•


Decor no.	KTEX 6
Q 001	Black or white is recommended
Q 004	Black or white is recommended
Q 010	Black or white is recommended
D 2909	•
D 2911	•
D 2913	•
D 2916	•
D 2918	•

Decor no.	KTEX 6
D 2919	•
D 2920	•
D 2921	•
D 2935	•
D 3527	•
D 3528	•
D 3547	•
D 3550	Black or white is
	recommended
D 3685	•
D 3686	•

Decor no.	KTEX 6
D 3688	•
D 4178	•
D 4179	•
D 4181	•
D 4187	•
D 4188	•
D 4189	•
D 8434	•
U 190 HG	•
U 190 Matt Finish	•

ONLINE FLOOR STUDIO

Experience the effect of differing woods, ornamentation, wall and furniture colours in an accurate representation of any room. The online floor studio is the ultimate tool for both end user and salesman.



Colour selector

With one mouse click you can select the appropriate shade and tone from our whole collection.

Additional selection criteria

These offer the perfect opportunity to narrow down your search for the perfect laminate. You can select from various qualities, including the type of element, the decoration number or the strength.

Surface view

Allows you to view elements from both head-on and in perspective.

Notes

Gives you the opportunity to get extra information about any of our products simply and conveniently.

The link function

With the link function, you can put your ideas before customers, suppliers, users and planners.



QUALITY ON PRINCIPLE

Not only do SWISS KRONO TEX floors meet the prescribed norms, they consistently exceed them! This is possible because SWISS KRONO TEX adopts a fully-integrated approach to production (from the tree through to the finished panel), and has numerous control and measuring devices at its disposal. For this reason, Kronotex can offer guarantees which go far and beyond warranties under law. You will be hard pressed to find any other producer who can do likewise.

SWISS KRONO TEX GmbH & Co. KG (in the following: Kronotex) provides buyers in addition to the unencumbered guarantee under law, an additional guarantee covering the abrasion resistance of the floor's surface. It extends from the date of purchase and covers the products as follows:

Conditions of guarantee

Kronotex laminate panels must be checked before and during installation for any defects. No liability is accepted for laminate flooring installed despite visible defects. Kronotex laminate floors must be installed properly according to the instructions, in a dry room, and in accordance with the respective use class. No liability is accepted for Kronotex laminate

floors installed in damp rooms. Abrasion areas on Kronotex laminate floors must be clearly visible and at least 1 cm² in size. And in particular the design layer must be completely abraded. No liability is accepted for abrasion on the edges of the elements or for unusual or improper use, and in particular for damage caused by mechanical stress. Validity of guarantee is dependent on regular cleaning and maintenance of Kronotex floors as described in the care instructions. Claims under guarantee are valid only if submitted within 30 days of ascertaining damage and accompanied by the original receipt from the retailer. In investigating a guarantee claim, Kronotex retains the right to examine the floor in question on site.

Our guarantee

In cases falling under guarantee, Kronotex will deliver a replacement for the damaged element. If the flooring in question is no longer available, then the buyer can choose a replacement of equal value from the current Kronotex product line.

Since an annual 10% depreciation in the value of Kronotex laminates can be assumed, delivery of a compensation product is dependent on payment of the appropriate difference by the buyer.

No liability is accepted for further damages, especially consequential damages such as those incurred during installation or removal, or transport costs for damaged Kronotex laminate floors.
















Manufacture and product control are in accordance with DIN EN 13329. The right to technical modifications is reserved. The illustrations may differ from the actual products. As of 02-2018.

Art.-Nr.: T00002 Layout: Vogelsänger

Pictures: SWISS KRONO TEX, Vogelsänger,

Shutterstock, Döring & Waesch

EN 003-0518-DW-WEI



SWISS KRONO TEX GmbH & Co. KG Wittstocker Chaussee 1 D-16909 Heiligengrabe / Germany

sales.floor@swisskrono.de www.swisskrono.de