





KRONOTEX

BY SWISS KRONO GROUP



Made in 
Germany 

EN

FLOORS FOR LIVING

2020



Start thinking about
tomorrow now...

Cover Picture: D 4726
Mountain Oak Brown
MAMMUT PLUS

OUR ENVIRONMENTAL PRODUCT DECLARATION

In order for environmental product balance sheets to be meaningful, they must be objectively comparable. So to let our customers easily understand and contrast our lifecycle analyses and environmental product data with those of other materials, we have firmly committed ourselves to a policy of total product transparency. We openly and voluntarily communicate the ecological balance sheets of our wood-based products in our Environmental Product Declarations (EPDs). Each EPD is issued by the Institute Construction and Environment e.V. (IBU) in a format which was developed on the basis of internationally valid ISO standards in close collaboration with building and environmental authorities in Germany.

WE STAND FOR ECOLOGY

The only way to master major challenges is for all players to pull on one rope. One of the biggest and most urgent tasks facing humanity today is to protect the environment. 'Together we are strong!' – this statement also applies to achieving the sustainability goals we have set ourselves. All of our staff are involved in protecting the environment on a day-to-day basis. Each and every one of them is appropriately informed, instructed and trained. This ensures that every department has the environmental expertise it requires. We use our 'management for the earth' programme to raise the level of environmental awareness in the entire SWISS KRONO team. Our environmental management efforts focus on achieving the eco-efficiency defined in our corporate objectives. Every product that leaves our factory must exhibit both excellent price/performance and superb environmental compatibility. This starts with the exclusive use of legal, certified raw materials from sustainably managed forests, continues with rigorously monitored production, and is also ensured during subsequent utilisation and ultimate disposal of our products.

WE HAVE BIG PLANS

We have a clearly defined goal: we want you, ourselves and future generations to continue enjoying life and good health on our unique blue planet. We are therefore continuing to develop eco-friendly wood-based materials which are healthy for you and the environment alike. Right now we are preparing EPDs for all of our Kronotex laminate floorings to facilitate direct comparison and checking of their environmental benefits. Has our environmental commitment piqued your curiosity? We'll be happy to answer your questions.

Simply e-mail us at: dehe.sales.floor@swisskrono.com



www.blauer-engel.de/uz176
• low emissions and pollutants
• wood from sustainable forestry
• no adverse impact on health in the living environment



DID YOU KNOW?

- ✓ ... that at the end of their life cycle, our laminate floorings can be recycled as completely harmless residual waste?
- ✓ ... that Kronotex laminate flooring is free of PVC and plasticisers?
- ✓ ... that we openly communicate the life cycle assessments of our wood-based products with the Environmental Product Declaration?"



A floor is the foundation for every type of room design, and hence the basis for creating one’s own sense of what life should be all about.

For this purpose, Kronotex opens up a completely new world for you. Experience laminate floors which meet all demands, which feature unique aesthetics and top-class quality. There is no limit to where your imagination can carry you!



WE’RE PASSIONATE ABOUT WOOD
SWISS KRONO – A STRONG BRAND FAMILY

As a Swiss family company, we develop design solutions for sophisticated living spaces made from natural raw materials – in more than 121 countries, with expertise born from years of experience and outstanding interior and exterior results.



PARTNERSHIP

We work together with you to develop first-class solutions that truly suit your needs. We are always at your side, even after the end of a project. Your trust is what drives us.

MADE IN GERMANY

All of our products are designed, manufactured and certified in Germany. This outstanding quality reflects the high demands we place on ourselves every day in order to provide you with the best possible solution.

RESPONSIBILITY

We are dedicated to a high level of resource efficiency and renewable energy. Our strategy: complete usage of material flows, short distances, renewable energy sources and a high level of energy efficiency.

Further information can be found on: [swisskrono.com](https://www.swisskrono.com)

CONTENTS

Structures & surfaces	06
Characteristics / individual features	08
Rooms with high humidity	09
Product overview	10

MAMMUT PLUS



12

MAMMUT



16

AQUA ROBUSTO




22

ROBUSTO



26

AMAZONE



32

HERRINGBONE



36

MEGA PLUS



40

EXQUISIT PLUS



46

EXQUISIT



52

DYNAMIC PLUS



58


GLAMOUR



64

The CLIC-System	72
Installation instructions on YouTube	73
Technical information	74
Accessories	76
Online floor studio	82
Quality on principle	83

Made in  Germany



PR / Wood Pore
typical wood structure



MO / Matt Oiled
matt oiled surface appearance




WG / Wood Grain
rustic embossing




MX / Matrix
deep structure embossing with
typical wood matt/gloss contrast



BT / Concrete
typical concrete surface




ST / Stone
distinctive stone



ER / Registered Emboss
genuine wood appearance due to
consistency between pattern
and embossing




HG / High Gloss
high gloss surface hardened with
electron beam




CP / ER / Chrome Pore
wood structure with shine effect




1-Strip



2-Strip




3-Strip



Multi-Strip



Natural stone format XL



Natural stone format



AF / Authentic Floor
natural and vivid wood texture



UL / Used Look
with apparent signs of wear
and tear




MF / Matt Finish
electron beam-hardened matt
surface



ML / Matt Look
with a waxed look & feel

CHARACTERISTICS




Kronotex floors are low-maintenance and hard-wearing.



Kronotex floors are flame resistant.



Kronotex floors are largely resistant to cigarette burns.



Kronotex floors are non-fading and retain their brilliance over many years.



Kronotex floors are rugged, load-resistant and impact-resistant.




Kronotex floors are abrasion-resistant.




Kronotex floors are produced from natural sustainable raw materials.



Kronotex floors are comfortable underfoot.



Kronotex floors are well suited for installation over subfloor heating.




Kronotex floors are stain-resistant.




Kronotex floors are virtually scratchproof.


INDIVIDUAL FEATURES



These panels are especially long.




These panels are especially wide.



These panels are especially narrow.



These panels have a special surface structure.




High gloss surface




Antistatic



A and B panels must be available in equal numbers. Note the marking on the package.



These panels are equipped with a 45° bevelled edge all around. When joined together, a V-groove is created, which conveys a natural solid wood plank character.



Fast installment thanks to an easy-to-use interlocking system for the long and short sides of the boards.



A 5G Clic system makes the flooring even easier to install.


ROOMS WITH HIGH HUMIDITY

09



AQUA-PEARL System

Thanks to our special AQUA-PEARL System, our **AQUA ROBUSTO** laminate is highly water-repellent, resistant to all kinds of liquids and extremely durable. The combination of force-fit locking system, mounting board highly resistant to swelling and specially designed skirting board AQUA 60/80 allows liquids to stand for up to 24 hours (according to NALFA surface swell test).



The natural product is particularly suitable for children and pets who are in frequent contact with the laminate flooring. It can easily forgive a mishap or two.



The AQUA PEARL System floors can easily be cleaned with a **damp mop and steam cleaner (household appliance)**.



Liquids and standing water should be removed within 24 hours (according to NALFA surface swell test).


Suitable for rooms with high humidity.

Not suitable for outdoor areas, rooms with permanently high moisture load, e.g., shower cubicles, saunas and rooms with floor drains.



Selected decors with moisture protection


We have made the best even better: high-quality décors from the **MAMMUT PLUS, MAMMUT, ROBUSTO, AMAZONE** and **HER-RINGBONE** laminate collections have been optimised in order to withstand moisture penetration even longer. The resin-rich pine from Mark Brandenburg and special gluing processes ensure significantly reduced swelling of the laminate flooring.



The natural product is particularly suitable for children and pets who are in frequent contact with the laminate flooring. It can easily forgive a mishap or two.



The floors with moisture protection can be easily cleaned with a **damp mop**.



Although designed for improved resistance to water and moisture, it is not waterproof and excessive wetting and standing water should be avoided.

Suitable for rooms with high humidity.

Not suitable for outdoor areas, rooms with permanently high moisture load, e.g., shower cubicles, saunas and rooms with floor drains.

08

MAMMUT PLUS

PANEL 1845 × 244 x 10 mm | BOX 4 panels | 1,800 m² | PALLET 42 boxes | 75,600 m²



AC 5
COMMERCIAL 33

MAMMUT


PANEL 1845 × 188 x 12 mm | BOX 4 panels | 1,387 m² | PALLET 56 boxes | 77,697 m²



AC 5
COMMERCIAL 33

AQUA ROBUSTO


PANEL 1380 × 191 x 12 mm | BOX 5 panels | 1,318 m² | PALLET 56 boxes | 73,808 m²



AC 5
COMMERCIAL 33

ROBUSTO

PANEL 1375 × 188 x 12 mm | BOX 5 panels | 1,293 m² | PALLET 56 boxes | 72,380 m²



AC 5
COMMERCIAL 33

AMAZONE

PANEL 1380 × 157 x 10 mm | BOX 6 panels | 1,300 m² | PALLET 40 boxes | 52,000 m²



AC 5
COMMERCIAL 33

NEW

HERRINGBONE

PANEL 665 × 133 x 8 mm | BOX 14 panels | 1,238 m² | PALLET 96 boxes | 118,848 m²



AC 4
COMMERCIAL 32

MEGA PLUS

PANEL 1380 × 326 x 8 mm | BOX 5 panels | 2,249 m² | PALLET 45 boxes | 101,223 m²



AC 4
COMMERCIAL 32

EXQUISIT PLUS

PANEL 1380 × 244 x 8 mm | BOX 8 panels | 2,694 m² | PALLET 42 boxes | 113,138 m²



AC 4
COMMERCIAL 32

EXQUISIT

PANEL 1380 × 193 x 8 mm | BOX 8 panels | 2,131 m² | PALLET 56 boxes | 119,320 m²



AC 4
COMMERCIAL 32

DYNAMIC PLUS

PANEL 1380 × 193 x 8 mm | BOX 8 panels | 2,131 m² | PALLET 56 boxes | 119,320 m²



AC 4
COMMERCIAL 32

GLAMOUR
STONE

PANEL 644 × 310 x 8 mm | BOX 10 panels | 1,996 m² | PALLET 42 boxes | 83,849 m²



AC 4

COLOUR

PANEL 644 × 310 x 8 mm | BOX 10 panels | 1,996 m² | PALLET 42 boxes | 83,849 m²



AC 4

MAX

PANEL 1220 × 610 x 8 mm | BOX 4 panels | 2,977 m² | PALLET 30 boxes | 89,31 m²



AC 4

WOOD

PANEL 1220 × 193 x 8 mm | BOX 8 panels | 1,884 m² | PALLET 36 boxes | 67,81 m²



AC 4

What goes around, comes around!

12

D 4725
Mountain Oak Nature

MAMMUT PLUS

MOUNTAIN OAK NATURE

13

A LOVE OF DETAIL

With its particularly wide panels, MAMMUT PLUS makes for an extremely elegant atmosphere. And so this floor is particularly suitable for larger rooms, effectively underlining their spacious architecture. However, MAMMUT PLUS reveals its real greatness not only in its width, but also in its length. And that's not all: an immaculate natural wood look, realised to the highest degree of authenticity – there can hardly be a better combination of robustness and naturalness. MAMMUT PLUS is therefore the right choice for anybody who sets the highest standards for the ambience of their surroundings.

JULIA (37)
BJÖRN (45)
EMMA (6)





Julia and Björn live with their little daughter Emma in a flat in an old building in Hamburg. When the nature-loving family is not outdoors, we can visit them in their beautiful home. The couple renovated the classic old building with great attention to detail.


In capturing the charm of a bygone era, they have found a perfect product in the form of Mammut Plus laminate flooring that satisfies both the desire for a natural look and the highest standards, as well as being so robust that Emma can play around on it to her heart's content.













MAMMUT PLUS

USE CLASS 33 | AC 5
BOX 4 panels
1,800 m²
PALLET 42 boxes
75,600 m²



 These decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.



Art cannot be modern - art is eternal.

16

D 4728
Mountain Oak Beige

MAMMUT

MOUNTAIN OAK BEIGE

17

STYLE IS HERE A PHILOSOPHY OF LIFE

Classic aesthetics and functionality are successfully combined here. Anyone who appreciates the unmistakable, natural-looking appearance of oak planks and, at the same time, wants maximum load-bearing capacity, will find that MAMMUT meets both requirements. The perfection achieved in this way is rightly regarded as the top product among laminate floorings. Especially since here – as in all Kronotex collections – great importance is attached to sustainability. Whether you opt for more traditional colour nuances or a modern colouring in white or grey – with its particularly long and hard-wearing panels, MAMMUT is the crowning glory of the timeless country house look. Because this classic of laminate art effortlessly outlives all the stylistic changes of different epochs.

LARS (41)
ARTIST





Lars lives and works in a self-constructed workshop in the countryside. A central factor in his life is the sustainable resource of wood. As a trained carpenter and wood artist, he knows this material inside out.







Lars decided to use Mammut laminate flooring for the design of his apartment – because nobody can fool him about wood: only the best is good enough.



USE CLASS 33 | AC 5
BOX 4 panels
1,387 m²
PALLET 56 boxes
77,697 m²



These decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.



MAMMUT

12
mm

5G

V4

USE CLASS 33 | AC 5
PANEL 1845 × 188 x 12 mm | BOX 4 panels | 1,387 m² | PALLET 56 boxes | 77,697 m²

D 4725
Mountain Oak Nature
1-Strip | ER | V4

D 4726
Mountain Oak Brown
1-Strip | ER | V4

D 4728
Mountain Oak Beige
1-Strip | ER | V4

D 4676
Matterhorn Oak Bronze
1-Strip | ER | V4

D 4727
Mountain Oak Grey
1-Strip | ER | V4

D 4752
Makro Oak Light
1-Strip | ER | V4

D 4791
Makro Oak Brown
1-Strip | ER | V4

D 4792
Makro Oak Grey
1-Strip | ER | V4

D 4793
Makro Oak White
1-Strip | ER | V4

D 4795
Highland Oak Bronze
1-Strip | ER | V4

D 4798
Highland Oak Black
1-Strip | ER | V4

D 4794
Makro Oak Nature
1-Strip | ER | V4

D 4796
Highland Oak Titan
1-Strip | ER | V4

D 4797
Highland Oak Silver
1-Strip | ER | V4



AQUA ROBUSTO

LOGAN OAK

23

THE UNCOMPLICATED
ALL-ROUNDER

When it comes to the relationship between laminate flooring and water, you will hear that great care is required – but not with our AQUA ROBUSTO collection. No matter whether it is a fallen flower vase, a leaking heater or the water spilled from the bowl of your beloved pet – all this leaves barely a trace on AQUA ROBUSTO. Thanks to a highly swell-reduced carrier plate and a force-locked locking system, this product line is extremely water-repellent, resistant to all types of liquids, and highly resilient. Need proof? Gladly: in combination with the AQUA skirting board, AQUA ROBUSTO can resist standing liquids for 24 hours without any signs of fatigue (according to NALFA test).



As a trained florist, Anna loves the special things in life. With a lot of love and sensitivity, this woman from Dresden realised her dream of creating her own flower paradise.



With the goal of combining aesthetics and functionality in the design of her shop, Anna opted for a very special laminate flooring.

In addition to its visual appearance, it was important to find a product that would meet all the demands of daily work, is forgiving and, at the same time, would emphasise the unusual style of Anna's shop.



AQUA ROBUSTO

USE CLASS 33 | AC 5
BOX 5 panels
1,318 m²
PALLET 56 boxes
73,808 m²



Liquids and standing water should be removed within 24 hours. Please find additional information on page 9.



P 1207
Logan Oak
1-Strip | ER | V4



P 1209
Nebraska Oak
1-Strip | AF | V4



P 1201
Camelot Oak
1-Strip | AF | V4



P 1202
Adak
1-Strip | ML | V4



P 1208
Tyler Oak
1-Strip | ER | V4



P 1203
Smart Chestnut
1-Strip | ER | V4



P 1210
Pure Oak
1-Strip | AF | V4



P 1212
Classic Hickory
1-Strip | ML | V4



P 1204
Viking Pine
1-Strip | UL | V4



P 1205
Ageless Teak
1-Strip | AF | V4



P 1206
Nature Chestnut
1-Strip | ER | V4



P 1211
Catania Oak
1-Strip | AF | V4

You cannot make an omelette without breaking eggs ...

26

D 4989
Right Oak Light

ROBUSTO

RIGHT OAK LIGHT

27

THE WORKAHOLIC: FOR PERMANENT STRESS

If load-bearing capacity is a priority when choosing the floor, it is clear what you should choose: namely – nomen est omen – ROBUSTO. With a high-density, 12-millimetre-thick carrier plate and the Clic system, which was developed for peak loads, ROBUSTO stands for maximum resistance. Not to mention its surface, which can withstand a lot. A floor on which you can make a lot of demands without any problems and which retains its original beauty for many years even when used commercially.

LARS (41)
ARTIST



We are once again with Lars. He shows us how life and work form a unity for the artist. He takes us to his workshop with adjacent studio.



We stand in his dream workshop and feel the passion for the material of wood that drives Lars!


So, you cannot make an omelette without breaking eggs? But that doesn't bother the Robusto laminate, because it lives up to its name in terms of resilience.







ROBUSTO


USE CLASS 33 | AC 5
BOX 5 panels
1,293 m²
PALLET 56 boxes
72,380 m²



 These decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.



ROBUSTO



USE CLASS 33 | AC 5
PANEL 1375 × 188 x 12 mm | BOX 5 panels | 1,293 m² | PALLET 56 boxes | 72,380 m²




D 4731
Rustic Oak
1-Strip | AF | V4



D 4779
Fantasy Wood
1-Strip | UL | V4




D 3592
Atlas Oak Anthrazit
1-Strip | ER | V4



NEW

D 4610
Port Oak Titan
1-Strip | ER | V4




D 4763
Pettersson Oak Beige
1-Strip | ER | V4




NEW

D 4611
Port Oak Medium
1-Strip | ER | V4




D 4954
Premium Oak
1-Strip | AF | V4



D 4955
Premium Oak Nature
1-Strip | AF | V4




D 4956
Premium Oak Grey
1-Strip | AF | V4




NEW

D 4684
Ebro Oak
1-Strip | ML | V4




NEW

D 4685
Jalon Oak
1-Strip | ML | V4




NEW

D 4686
Adaja Oak
1-Strip | ML | V4



D 4957
Premium Oak Brown
1-Strip | AF | V4



D 4989
Right Oak Light
1-Strip | AF | V4

Good vibes only – feel the universe inside of you.

32

D 3662
Montmelo Oak Silver

AMAZONE

MONTMELO OAK SILVER

FEEL THE LIGHTNESS OF BEING

The grace of the slender line – this is how the AMAZONE collection could be aptly characterised. Extra narrow panels accentuate the lines that seem to separate and join them at the same time. A floor for lovers of delicate elegance, and which is particularly suitable for smaller rooms, as its graceful lines give them the appearance of optical extension. The collection captivates with a variety of different décors, from almost monochrome to clearly patterned, which opens up a lot of space for different individual design preferences.

JETTE (35)
YOGA
TEACHER



In times of stress and a hectic pace of life, Jette from Berlin shows us how she finds her inner balance. She has created her own little oasis at home. Here, she teaches yoga and passes on the art of conscious living with great passion.

Always in flux is her motto – and this also applies to the design of her yoga studio.



At her feet, the Amazone laminate impresses with its graceful lightness. The ideal ground for coming into harmony with nature.

नमस्ते
NAMASTE







33

AMAZONE

USE CLASS 33 | AC 5
BOX 6 panels
1,300 m²
PALLET 40 boxes
52,000 m²



These decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.





Getting back to basics!

36

D 3861
Pisa Oak

HERRINGBONE

PISA OAK

37

A CLASSIC – NEWLY LAID

What do you associate with a herringbone floorboard? Probably the graceful elegance of sophisticated country estates, venerable castle walls, Viennese coffee houses or the foyers of opera houses and theatres. And this is exactly the elegance that you can now bring into your own home – with our HERRINGBONE collection. It enhances your rooms with an Art Deco and Art Nouveau ambience. And so, in combination with modern interior design, you can create superbly attractive contrasts between tradition and modernity, between fashion and history, in your own living space. HERRINGBONE – this is a completely new laying technique in the world of laminate flooring, of through which you can easily create a floor covering with a very complex appearance.



JAN (44)
FREELANCER



Jan let us have a look round his apartment. Far away from the mainstream, the freelancer lives in a stylish loft in Rostock.

This creative artist attaches great importance to quality and to an unusual lifestyle.



His sense of taste captivates with the combination of classic elements and bold contrasts. His credo: everything besides the ordinary – and this also extends to his choice of the Herringbone laminate.

Jan's herring tip!




- | | |
|-------------------------------|-------------------|
| 2 packets of pickled herrings | 1 onion |
| 1 apple | 1 cup of cream |
| 1 cup natural yoghurt | 3 tbsp mayonnaise |
| 3 gherkins | salt, pepper |
| 3 eggs, cooked | |
| vinegar | |

HERRINGBONE

USE CLASS 32 | AC 4
BOX 14 panels
1,238 m²
PALLET 96 boxes
118,848 m²



These decors have been optimised so as to be able to withstand the effects of moisture over time. The laminate flooring is suitable for damp rooms thanks to its significantly reduced swelling behaviour. Please find additional information on page 9.





The ingenuity lies in the complicated simplicity!

40

D 4754
Oak Hella



MEGA PLUS

OAK HELLA

41

VARIATIONS ON LAMINATE

The collection for people who love the extraordinary – that is MEGA PLUS. This product line offers you not only a wide range of design options with natural stone decors in a tile look, but also extravagant wood decors in particularly wide panels with which you can create particularly vibrant floor patterns. With this wide range of different shapes and décors, practically all your special wishes can be fulfilled. This means that practically anyone who wants to design their home in a particularly individual way with a somewhat more unusual living ambience can realise their ideas. Give free rein to your creativity!



HEALTHY
FOOD

OLE (32)
RESTAURATEUR



This is Ole from Bremen. This open-minded Northerner has recently fulfilled his dream of opening his own vegan restaurant. It was much more difficult for him to decide what to put on the menu than what to put on the ground.





Kronotex's ecological philosophy and the huge selection of décors immediately convinced the environmentalist.

He opted for a laminate flooring from the MEGA PLUS collection that was full of character and contrasts, with a massive presence that perfectly matches him and his concept: simply stylish!




MEGA PLUS

USE CLASS 32 | AC 4
BOX 5 panels
2,249 m²
PALLET 45 boxes
101,223 m²




Bon
Appetit





MEGA PLUS

USE CLASS 32 | AC 4
BOX 5 panels
2,249 m²
PALLET 45 boxes
101,223 m²









Natural stone format XL.
Long plank with
visual centre joint.



MEGA PLUS

USE CLASS 32 | AC 4
BOX 5 panels
2,249 m²
PALLET 45 boxes
101,223 m²



Your speed doesn't matter - forward is forward!

46

D 4984
Oriental Oak White

EXQUISIT PLUS

ORIENTAL OAK WHITE

47

TIMELESS COMPANION

Perfection in panel form: with the EXQUISIT PLUS collection, you can easily create a feel-good atmosphere. The extra-wide panels in various natural wood looks invite you to create an ambience of elegance and generosity. Feel the combination of warmth and nature – noble and high-quality, furnished with embossed grain and a matt shimmer. The precisely milled V-groove completes the convincing appearance, as you would expect from a plank floor. That is the perfection you dream of.

KASSIOPEIA (4)




My name is Kassiopeia and because everyone has just gone out, I will now explain to you why my master and mistress chose this floor.

I think they really go for an exquisite and special style. Back then, they were looking for a laminate that radiated warmth and cosiness. Were they thinking of me at the same time?

FUNFACT:

Turtles can see better than humans!

Some of them can even perceive infrared or ultraviolet light!



EXQUISIT PLUS

USE CLASS

BOX

PALLET

32 | AC 4

8 panels

2,694 m²

42 boxes


113,138 m²


8 mm

1380 mm

244 mm

Just take
it slow...






D 3663

Montmelo Oak Lava


1-Strip | ER | V4



D 3664

Montmelo Oak Toffee

1-Strip | ER | V4



D 3673

Bergamo Oak

1-Strip | AF | V4



D 3044

Rift Oak

1-Strip | MX | V4



D 3570

Harbour Oak

1-Strip | ER | V4



D 3572

Harbour Oak Grey


1-Strip | ER | V4



D 4164

Village Oak

1-Strip | MX | V4



D 4684

Aragon Oak

1-Strip | ML | V4



D 4691

Sevilla Oak


1-Strip | ER | V4



D 3660

Montmelo Oak Creme


1-Strip | ER | V4



D 3661

Montmelo Oak Nature


1-Strip | ER | V4



D 3662

Montmelo Oak Silver


1-Strip | ER | V4



D 4692

Barcelona Oak


1-Strip | ER | V4



D 4694

Madrid Oak

1-Strip | ER | V4




D 4698

Chevron Oak

1-Strip | ML | V4



EXQUISIT PLUS




USE CLASS 32 | AC 4
PANEL 1380 × 244 x 8 mm | BOX 8 panels | 2,694 m² | PALLET 42 boxes | 113,138 m²



D 4710
Walnut Mataro
1-Strip | ER | V4



D 4716
Chestnut Pinot
1-Strip | ER | V4



D 4764
Pettersson Oak Nature
1-Strip | ER | V4



D 4787
Gala Oak White
1-Strip | ER | V4




D 4981
Trail Oak
2-Strip | UL | V4



D 4766
Pettersson Oak Dark
1-Strip | ER | V4



D 4783
Gala Oak Nature
1-Strip | ER | V4



D 4784
Gala Oak Brown
1-Strip | ER | V4



D 4983
Oriental Oak Nature
1-Strip | ER | V4



D 4984
Oriental Oak White
1-Strip | ER | V4



D 4997
Fine Oak
Multi-Strip | ML | V4



EXQUISIT

AHOTA

THE BEST SELECTION

The plank floor – a real classic that simply never loses its appeal. With our EXQUISIT collection, you can bring this charm into your own home – coupled with the numerous advantages of a modern and high-quality laminate flooring. EXQUISIT radiates cosiness every day with the naturalness and appearance of solid wood. Thanks to the embossed grain, the floor is an elegant and authentic experience, both visually and haptically. Last but not least, the milled V-groove underlines the natural impression and creates a look that resembles that of a good old plank floor.

FRANZ (71)
WINE
CONNOISSEUR



Franz does things right and enjoys life to the full. As a pensioner, he can devote himself completely and passionately to his small vineyard in the Palatinate.

After intensive planning, he realised a long-cherished dream and built himself a private wine cellar.

The Exquisit Ahota laminate flooring from Swiss KronoTex, which Franz has chosen, is just as exquisite as the wines themselves.











EXQUISIT

USE CLASS 32 | AC 4
BOX 8 panels
2,131 m²
PALLET 56 boxes
119,320 m²




8 mm

WINE
Time




EXQUISIT



USE CLASS 32 | AC 4
PANEL 1380 × 193 x 8 mm | BOX 8 panels | 2,131 m² | PALLET 56 boxes | 119,320 m²




D 4171
Nostalgie Teak Graphit
1-Strip | ER | V4



D 4609
Port Oak
1-Strip | ER | V4




D 4613
Ash Cupper
1-Strip | AF | V4




D 4170
Nostalgie Teak
1-Strip | ER | V4



D 4612
Port Oak Grey
1-Strip | ER | V4



D 4688
Sierra Oak Titan
1-Strip | ML | V4



D 4689
Sierra Oak Gold
1-Strip | ML | V4



D 4697
Vallis Walnut
1-Strip | ML | V4



D 4765
Pettersson Oak Grey
1-Strip | ER | V4



D 4801
Used Metal
1-Strip | ML | V4




D 4985
Oriental Oak Grey
1-Strip | ER | V4




D 4754
Oak Hella
1-Strip | UL | V4




D 4782
Brave
1-Strip | UL | V4



D 4805
Ahota
1-Strip | ML | V4



D 4990
Lorine
1-Strip | ML | V4



D 4763
Pettersson Oak Beige
1-Strip | ER | V4



D 4786
Gala Oak Grey
1-Strip | ER | V4



D 4982
Oriental Oak Beige
1-Strip | ER | V4



Wanderlust - because nature must be felt

58

D 4636
Maple



DYNAMIC PLUS

MAPLE

BRINGING DYNAMISM INTO THE HOME

The big plus in joie de vivre – that's the DYNAMIC PLUS collection. Unfold your individuality and find your décor in a selection of the highest variety. DYNAMIC PLUS is therefore the ideal floor for your ideas – and for a long time to come! Because it is universally usable and very resilient. DYNAMIC PLUS can even be lightly and easily integrated into any extensions or a new installation at a different location. This applies even to medium commercial use. Be inspired by the liveliness and enjoy the comfort of this fresh collection for many years to come!

59



Caro and Niklas met on a journey. Freshly in love, they are in seventh heaven. The young, happy couple is full of joy and energy.

They recently moved into their first shared apartment. Why have they decided on Floor Dynamic Plus? This laminate enjoys traveling and life just as much as the two of them. Whether tango in high heels or polka in slippers – this floor has swing!



DYNAMIC PLUS

USE CLASS 32 | AC 4
BOX 8 panels
2,131 m²
PALLET 56 boxes
119,320 m²



*Time
to
Travel*

8
mm




5G



D 2986
Borneo Teak
1-Strip | PR




D 3066
Cloud Oak
3-Strip | MO



D 1407
Beech Royal
3-Strip | WG



D 2304
Oak Achat
1-Strip | MO



D 2450
Cutter Oak
2-Strip | MX



D 3007
Stockholm Ash
2-Strip | MX



D 2929
Bourbon Oak
1-Strip | PR



D 2955
Black and White
2-Strip | WG




D 3585
Block Wood
1-Strip | MO




D 3676
Kunsterspring Pine
1-Strip | UL




D 3901
Elbe Oak
1-Strip | AF




D 2957
Hacienda Oak Beige
1-Strip | PR



D 4127
Nevada Pine
1-Strip | MX



D 4155
Luxury Oak Silver
2-Strip | ER




D 4163
Bough Pine
1-Strip | MX


DYNAMIC PLUS



USE CLASS 32 | AC 4
PANEL 1380 × 193 x 8 mm | BOX 8 panels | 2,131 m² | PALLET 56 boxes | 119,320 m²



D 4636
Maple
1-Strip | ML




D 4702
Arles Oak
1-Strip | AF




D 4757
Walnut Palazzo
1-Strip | WG




D 4751
Block Wood Nature
1-Strip | MO




D 4771
Callisto
1-Strip | AF




D 4773
Walnut Historia
3-Strip | WG



D 4781
Barrow Oak
1-Strip | AF



D 4953
Plauer Oak
3-Strip | AF



D 4991
Lorine Light
1-Strip | ML



D 4636
Maple



GLAMOUR

MONREAL SLATE

65

A TOUCH OF EXTRAVAGANCE

Exclusivity is easy to install today: whether marble, mosaic or a high-quality natural wood look – when it comes to elegant, exciting and sometimes unusual décors, it has to be GLAMOUR. This collection in particular offers an extraordinary range and a real wow effect. But GLAMOUR is not only beautiful – the floor has to withstand a lot. Thanks to electron beam hardening and multi-layer painting, it is designed for intensive private use with maximum comfort. And last but not least, the variety does not end with the décors: GLAMOUR panels are available with a high gloss effect, extra wide, with V-groove and integrated piping.



ELISABETH (58)
EDITOR



At home in the wide world, fashion editor Elisabeth from Düsseldorf has already seen and experienced a lot. Today, she is giving us an exclusive look into her wardrobe.

We see the high demand on quality and extravagance not only in the exquisite selection of her clothes. The appearance of the floors is also simply glamorous and could easily replace the red carpet.



"STRESS – I DON'T
KNOW THAT.
I ONLY KNOW STRASS.
I'M IN THE
FASHION
BUSINESS!"


– Karl Lagerfeld

GLAMOUR STONE

USE CLASS AC 4
BOX 10 panels
1,996 m²
PALLET 42 boxes
83,849 m²




8 mm



D 2909
Botticino Classico Dark
Natural stone format | HG | V4




D 2911
Botticino Classico Light
Natural stone format | HG | V4



D 2921
Carrara Marmor
Natural stone format | HG | V4




D 3547
Loft
Natural stone format | HG | V4



D 4179
Grizzly Slate
Natural stone format | HG | V4



D 4178
Monreal Slate
Natural stone format | HG | V4



D 2935
White
Natural stone format | HG | V4




D 3528
Salino
Natural stone format | HG | V4



D 4178
Monreal Slate




D 8434
Piasentina
Natural stone format | HG | V4



D 3527
Pindos
Natural stone format | HG | V4

GLAMOUR COLOUR

USE CLASS AC 4
BOX 10 panels
1,996 m²
PALLET 42 boxes
83,849 m²



Q 001
Mosaic
Natural stone format | Matt Finish





Q 004
Palazzo
Natural stone format | Matt Finish



Q 010
Emeraude
Natural stone format | Matt Finish

GLAMOUR MAX


USE CLASS AC 4
BOX 4 panels
2,997 m²
PALLET 30 boxes
89,31 m²



U 190
Black
HG or Matt Finish



D 2935
White
HG or Matt Finish



D 3550
Grey
HG or Matt Finish




GLAMOUR wood

USE CLASS AC 4
BOX 8 panels
1,884 m²
PALLET 36 boxes
67,81 m²




8 mm




D 2913
Canyon Andiroba
1-Strip | HG | V4



D 2916
Plateau Merbau
1-Strip | HG | V4



D 2919
Canyon Plum
1-Strip | HG | V4



D 4181
Aragon Oak
1-Strip | HG | V4




D 4187
White Oak
1-Strip | HG | V4




D 2920
Plateau Maple
1-Strip | HG | V4



D 3685
Old Havana
1-Strip | HG | V4



D 4188
Morris Walnut
1-Strip | HG | V4



D 4189
Victorian Oak
1-Strip | HG | V4




D 3686
Canyon Oak
1-Strip | HG | V4

THE CLIC-SYSTEM



Installing a new floor is now playfully easy: simply press the panels down with a finger, and they snap audibly into place. Take them out of the box, insert, push down and you're done! The snap-together 'Clic' system is specially engineered to withstand peak loads. Also globally unique is the fact that Kronotex uses an optimised profile for each flooring thickness, which makes an especially big difference with 10 mm and 12 mm laminate. Professional installers and DIY enthusiasts alike greatly appreciate the advantages!



- Much easier to install.
- Up to 50% quicker to install.
- No hammer, tapping block or pulling bar required.
- Safe and stable.
- You can walk on the floor immediately after installation.

PANEL CONSTRUCTION



Kronotex laminates consist of at least four stable layers which ensure the extraordinary durability and unique quality of floors.

A The top surface of the flooring consists of a specially resistant protective overlay film. This is fused with an attractive resinated decorative film into a practically abrasion-proof, hard-wearing surface.

B Extremely dense HDF fiberboard forms the supportive core (HDF, E1).

C On the undersurface of the core a dampnessimpeding stabilisation film ensures and preserves the high structural stability of Kronotex laminates.

72

INSTALLATION INSTRUCTIONS ON YOUTUBE

73

DIY expert Thomas provides tips and tricks for laying laminate flooring in six easy steps.



Door frame and radiator pipes




Care and repair



Impact and room noise reduction



Transition strips and skirting boards



Step by step instructions for herringbone laying technique



TECHNICAL INFORMATION

WHAT COUNTS IS THE RIGHT BASE

Once you have decided on a laminate floor, when quality and appearance are a perfect fit, then you need to check the requirements for perfect installation. Very important is a suitable subfloor:

- SWISS KRONO OSB
- old flooring such as wood, firmly-adhering PVC, dry ceramic, linoleum
- cement screed (max. residual moisture: 2.0 CM%)
- anhydrite cement and anhydrite f low cement screed (max. residual moisture: 0.3 CM%)
- magnesia screed (max. residual moisture: 3.0 CM%)

Have a screed specialist in your area give you a residual moisture report!

However, wet rooms, saunas, carpeting and xylolith are not suitable. Damp rooms are only suitable with special laminate designated for this purpose. The subfloor must be dry, level, firmly affixed and clean. Minor unevenness can be compensated with an underlay mat or – if exceeding 3 mm/m – sanded down or levelled with a filler.

CLEANING AND CARE

Kronotex laminate floors are not only hygienic but also very easy to look after.

- Sweep the dry floor with a soft broom or use a vacuum cleaner.
- Marks and dirt can be wiped off with a slightly damp cloth, following the grain of the plank. Special laminate designated for this purpose can also be cleaned with a mop or a household steam cleaner.
- Please use felt pads under furniture and soft rubber castors on chairs.
- Place door mats in special areas (hall, entrance). In industrial buildings, provide footwells.
- Minor damage to the floor can easily be repaired with a repair kit. In case of more serious damage, please consult a specialist.

FLOOR HEATING – NO PROBLEM

Kronotex laminate floors can be readily installed upon underfloor heating, serve well and even help to save on heating costs.

- Be sure to heat mineral underlays before flooring installation to eliminate any excess dampness.
- Have a heating specialist in your area give you a heating report.
- Ensure that during installation, the surface temperature of the floor is at least 15 °C (60 °F).
- For dampness insulation and as a vapour barrier, use a PE film (0. 2mm) underlayment. To dampen sound, use PE foam or Kronotex matt underlay.
- At the beginning of each heating period, when you first turn on the underfloor heating, raise the temperature gradually in 5 °C (9 °F) increments per day until you reach the desired temperature. The floor's surface temperature should not exceed 26 °C (80 °F).

74

75



D 4726
Mountain Oak Brown
MAMMUT PLUS



SKIRTING BOARD KTEX 1
MDF, for attachment system
19 × 58 × 2400 mm
PACKET 10 pcs
PALLET 56 packets
Available décors: see page 81.





SKIRTING BOARD KTEX 6
MDF, for attachment system
19 × 80 × 2400 mm
PACKET 10 pcs
PALLET 20 packets
Available décors: see page 81.





SKIRTING BOARD CLIPS
For quick and easy installation of skirting boards.
PACKET 30 pcs





SKIRTING BOARD KTEX 4
MDF, for attachment system
22 × 40 × 2400 mm
PACKET 10 pcs
PALLET 72 packets
Available décors: see page 81.



ACCESSORIES FOR SKIRTING BOARD KTEX 1

	PACKET	BOX
1 exterior corner piece (EC)	2 pcs	10 packets
2 interior corner piece (IC)	2 pcs	10 packets
3 end cap (EC)	1 x left, 1 x right	10 packets
4 connector	2 pcs	10 packets
Economy pack	2 EC, 6 IC, 2 EC (1 x left, 1 x right)	5 packets


Available in these colours: light brown, dark brown, white, silver and stainless steel look




ACCESSORIES FOR SKIRTING BOARD KTEX 4


	PACKET	BOX
1 exterior corner piece (EC)	2 pcs	10 packets
2 interior corner piece (IC)	2 pcs	10 packets
3 end cap (EC)	1 x left, 1 x right	10 packets
4 connector	2 pcs	10 packets
Economy pack	2 EC, 6 IC, 2 EC (1 x left, 1 x right)	5 packets

Available in these colours: light brown, dark brown, white, silver and stainless steel look





SKIRTING BOARD KTEX P
MDF, white, profiled, paintable
18 × 80 × 2400 mm
PACKET 8 pcs
PALLET 35 packets





SKIRTING BOARD KTEX F
MDF, white, chamfered, paintable
18 × 80 × 2400 mm
PACKET 8 pcs
PALLET 35 packets



**CORNER PIECE FOR SKIRTING
BOARDS KTEX F AND KTEX P**
22 × 22 × 82 mm
PACKET 2 pcs
Available in white décor





**SKIRTING BOARD
AQUA 80**
19 × **80** × 2500 mm
PACKET 6 pcs
PALLET 30 packets



**SKIRTING BOARD
AQUA 60**
19 × **60** × 2500 mm
PACKET 8 pcs
PALLET 30 packets



HDF core, white, wrapped with chlorine-free PP/TPE based polyblend with flexible top and bottom soft lips

BASIC
Foam-based
25.000 × 1.000 × 2 mm
1 PACK 4 rolls = 100 m²
1 PALLET 40 rolls



BASIC PLUS
Foam-based with flat laminated PE foil
25.000 × 1.000 × 2 mm
1 PACK 4 rolls = 100 m²
1 PALLET 40 rolls




PREMIUM SOUND
PU-based with foil lamination
8.500 × 1.000 × 1,8 mm
1 PACK 1 roll = 8,5 m²
1 PALLET 40 rolls



SUPERIOR SOUND
PU-based with foil lamination
5.500 × 1.000 × 2,8 mm
1 PACK 1 roll = 5,5 m²
1 PALLET 40 rolls



OTHER KRONOTEX SKIRTINGS

 <div>Skirting board KTEX 5 MDF 15 x 70 x 2400 mm</div>	 <div>Skirting board KTEX 10 MDF 10 x 58 x 2400 mm</div>	 <div>Skirting board KTEX 11 MDF, for attachment system 21 x 70 x 2400 mm</div>
 <div>Skirting board KTEX 12 MDF, for attachment system 15*/19,5** x 50 x 2400 mm</div>	 <div>Skirting board KTEX 13 MDF, for attachment system 16 x 58 x 2600 mm</div>	 <div>Skirting board KTEX 14 MDF, for attachment system 17 x 70 x 2600 mm</div>
 <div>Skirting board KTEX 15 MDF 16 x 80 x 2600 mm</div>	 <div>Skirting board KTEX 16 MDF 15 x 78 x 2400 mm</div>	 <div>Skirting board KTEX 17 MDF 18 x 40 x 2400 mm</div>
 <div>Skirting board KTEX 18 MDF, for attachment system 13,5*/19* x 40 x 2400 mm</div>	 <div>Skirting board KTEX 19 MDF, for attachment system 18 x 90 x 2400 mm</div>	 <div>Skirting board KTEX 20 MDF 17 x 17 x 2400 mm</div>
 <div>Skirting board KTEX 21 MDF 12 x 12 x 2400 mm</div>	 <div>Skirting board KTEX 22 MDF 16 x 16 x 2400 mm</div>	 <div>Skirting board KTEX 23 MDF 6 x 25 x 2600 mm</div>
 <div>Skirting board KTEX 24 MDF 4 x 25 x 2400 mm</div>	<div>AVAILABLE IN ALL LAMINATE FLOORING DECORS.</div> <div>Different quantities available by prior arrangement. * Covered distance from wall w/o clips ** Covered distance from wall with clips</div>	

80

AVAILABLE DECORS FOR SKIRTING BOARDS

81

DECOR NO.	KTEX 1	KTEX 4
D 1407	•	•
D 2304	•	•
D 2450	•	•
D 2774	•	•
D 2800	•	
D 2804	•	•
D 2805	•	•
D 2869	•	
D 2873	•	•
D 2905	•	•
D 2929	•	•
D 2949	•	•
D 2955	•	•
D 2957	•	•
D 2967	•	
D 2986	•	•
D 2987	•	•
D 2999	•	
D 3000	•	
D 3001	•	
D 3004	•	•
D 3007	•	•
D 3044	•	•
D 3066	•	•
D 3070	•	•
D 3073	•	
D 3074	•	
D 3075	•	
D 3076	•	
D 3077	•	
D 3079	•	
D 3081	•	
D 3178	•	
D 3179	•	
D 3180	•	
D 3181	•	
D 3223	•	•
D 3224	•	•
D 3239	•	
D 3241	•	•
D 3242	•	•
D 3516	•	
D 3530	•	
D 3531	•	
D 3678	•	
D 3685	•	
D 3686	•	
D 3766	•	
D 3860	•	
D 3861	•	
D 4167	•	
D 4168	•	
D 4169	•	•

DECOR NO.	KTEX 1	KTEX 4
D 4170	•	•
D 4171	•	•
D 3570	•	•
D 3571	•	
D 3572	•	•
D 3573	•	
D 3585	•	•
D 3590	•	
D 3591	•	
D 3592	•	
D 3597	•	
D 3660	•	•
D 3661	•	•
D 3662	•	•
D 3663	•	•
D 3664	•	•
D 3665	•	•
D 3668	•	•
D 3669	•	
D 3670	•	
D 3672	•	•
D 3673	•	
D 3676	•	•
D 3900	•	
D 3901	•	
D 4127	•	
D 4152	•	
D 4155	•	•
D 4163	•	•
D 4164	•	•
D 4166	•	•
D 4609	•	
D 4610	•	
D 4611	•	
D 4612	•	
D 4613	•	
D 4614	•	
D 4636	•	
D 4668	•	
D 4671	•	
D 4672	•	
D 4673	•	
D 4675	•	
D 4676	•	
D 4679	•	
D 4680	•	
D 4681	•	
D 4682	•	
D 4684	•	
D 4685	•	
D 4686	•	
D 4688	•	
D 4689	•	

DECOR NO.	KTEX 1	KTEX 4
D 4691	•	
D 4692	•	
D 4694	•	
D 4697	•	
D 4698	•	
D 4699	•	
D 4702	•	•
D 4708	white is recommended	
D 4710	•	
D 4716	•	
D 4725	•	
D 4726	•	
D 4727	•	
D 4728	•	
D 4731	•	
D 4738	white is recommended	
D 4739	white is recommended	
D 4751	•	•
D 4752	•	
D 4754	•	•
D 4757	•	•
D 4763	•	•
D 4764	•	•
D 4765	•	•
D 4766	•	•
D 4771	•	•
D 4773	•	•
D 4779	•	
D 4781	•	•
D 4782	•	•
D 4783	•	•
D 4784	•	•
D 4785	•	•
D 4786	•	•
D 4787	•	•
D 4791	•	
D 4792	•	
D 4793	•	
D 4794	•	
D 4795	•	
D 4796	•	
D 4797	•	
D 4798	•	
D 4801	•	
D 4805	•	
D 4953	•	•
D 4954	•	
D 4955	•	
D 4956	•	
D 4957	•	
D 4981	•	
D 4982	•	
D 4983	•	

DECOR NO.	KTEX 1	KTEX 4
D 4984	•	
D 4985	•	
D 4989	•	
D 4990	•	
D 4991	•	
D 4997	•	
D 4998	•	
P 1201	AQUA is recommended	
P 1202	AQUA is recommended	
P 1203	AQUA is recommended	
P 1204	AQUA is recommended	
P 1205	AQUA is recommended	
P 1206	AQUA is recommended	
P 1207	AQUA is recommended	
P 1208	AQUA is recommended	
P 1209	AQUA is recommended	
P 1210	AQUA is recommended	
P 1211	AQUA is recommended	
P 1212	AQUA is recommended	

DECOR NO.	KTEX 6
Q 001	black or white is recommended
Q 004	black or white is recommended
Q 010	black or white is recommended
D 2909	•
D 2911	•
D 2913	•
D 2916	•
D 2918	•
D 2919	•
D 2920	•
D 2921	•
D 2935	•
D 3527	•
D 3528	•
D 3547	•
D 3550	black or white is recommended
D 3688	•
D 4178	•
D 4179	•
D 4181	•
D 4187	•
D 4188	•
D 4189	•
D 8434	•

Skirting board may differ from laminate decor in colour and structure.

Experience the effect of differing woods, ornamentation, wall and furniture colours in an accurate representation of any room. The online floor studio is the ultimate tool for both end user and sales support.



COLOUR SELECTOR

With one mouse click you can select the appropriate shade and tone from our whole collection.

ADDITIONAL SELECTION CRITERIA

These offer the perfect opportunity to narrow down your search for the perfect laminate. You can select from various qualities, including the type of element, the decoration number or the strength.

SURFACE VIEW

Allows you to view elements both front haben Sie schon Feedback -on and in perspective.

NOTES

Gives you the opportunity to get extra information about any of our products simply and conveniently.

THE LINK FUNCTION

With the link function, you can put your ideas before customers, suppliers, users and planners.



Not only do SWISS KRONO TEX floors meet the prescribed norms, they consistently exceed them! This is possible because SWISS KRONO TEX adopts a fully-integrated approach to production (from the tree through to the finished panel), and has numerous control and measuring devices at its disposal. For this reason, Kronotex can offer guarantees which go far and beyond warranties under law. You will be hard pressed to find any other producer who can do likewise.

SWISS KRONO TEX GmbH & Co. KG (in the following: Kronotex) provides buyers in addition to the unencumbered guarantee under law, an additional guarantee covering the abrasion resistance of the floor's surface. It extends from the date of purchase and covers the products as follows:

CONDITIONS OF GUARANTEE

Kronotex laminate panels must be checked before and during installation for any defects. No liability is accepted for laminate flooring installed despite visible defects. Kronotex laminate floors must be installed properly according to the instructions, in a dry room, and in accordance with the respective use class. Abrasion areas on Kronotex laminate floors must be clearly visible and at least 1 cm² in size. And in particular the design layer must be completely abraded. No liability is accepted for abrasion on the edges of the elements or for unusual or improper use, and in particular for damage caused by mechanical stress. Validity of guarantee is dependent on regular cleaning and maintenance of Kronotex floors as described in the care instructions. Claims under guarantee are valid only if submitted within 30 days of ascertaining damage and accompanied by the original receipt from the retailer. In investigating a guarantee claim, Kronotex retains the right to examine the floor in question on site.

OUR GUARANTEE

In cases falling under guarantee, Kronotex will deliver a replacement for the damaged element. If the flooring in question is no longer available, then the buyer can choose a replacement of equal value from the current Kronotex product line. Since an annual 10% depreciation in the value of Kronotex laminates can be assumed, delivery of a compensation product is dependent on payment of the appropriate difference by the buyer. If an equivalent replacement is not available, the buyer can demand financial compensation. In this case Kronotex will reduce the refund amount by 10% for each year of use of the Kronotex laminate flooring. No liability is accepted for financial losses or further damages, especially consequential damages such as those incurred during installation or removal, or transport costs for damaged Kronotex laminate floors.



P 1207
Logan Oak



Our Environmental Product Declarations (EPDs) are globally acknowledged and accepted Type III environmental labels conforming to ISO 14025.

Manufacture and product control are in accordance with DIN EN 13329. The right to technical modifications is reserved. The illustrations may differ from the actual products. As of 12-2019.

Art.-Nr.: T00002

Layout: emotions4life

Pictures: Shutterstock, Adobe Stock,
Doering & Waesch, Sterntaucher, Gordon Wells,
Vogelsänger, Kronotex, emotions4life
EN 003-1219-E4L-WEI



SWISS KRONO TEX GmbH & Co. KG
Wittstocker Chaussee 1
D-16909 Heiligengrabe / Germany

dehe.sales.floor@swisskrono.com
www.swisskrono.de